

06-15-00

A

Attorney's Docket No. 00-0826
Client's Docket No. LGA102CIP

PATENT Utility APPLICATION COVER SHEET

BOX PATENT APPLICATION
HONORABLE ASSISTANT COMMISSIONER FOR PATENTS
Washington, D. C. 20231

JC520 U.S. PTO
09/593546
06/14/00

Sir:

Transmitted herewith for filing is the utility patent application
of:

INVENTOR: DAVE ROBINSON

FOR: TELEPHONE MOUTHPIECE AND EARPIECE COVER SYSTEM

Enclosed are:

- ☒ Postcard for receipt stamp and return.
- ☒ Applicant's Check for **\$345.00**, covering fees calculated below.
- ☒ Specification with Claims, Abstract, & Declaration & Power of Attorney
- ☒ A verified statement to establish small entity status under 37C.F.R § 1.9 and 37 C.F.R. § 1.27.
- ☒ 4 sheets of drawing.
- ☐ Cover Sheet & Assignment to: _____


☒ Information Disclosure Statement.

The filing fee has been calculated as shown below:

	(Col. 1) No. Filed	(Col. 2) No. Extra		SMALL ENTITY RATE	FEE
FOR:					
BASIC FEE				\$345	\$345
TOTAL CLAIMS	19	-20=	0 x09		0
INDEPENDENT CLAIMS	3	- 3=	0 x39		0
MULTIPLE DEPENDENT CLAIMS PRESENTED				+125	
TOTAL					\$345

DEPOSIT ACCOUNT AUTHORIZATION

The Commissioner is hereby authorized to charge any fees, which are not otherwise submitted and which may be required under 37 CFR 1.17 during the entire pendency of this application, to the Deposit Account # **11-0020**.



IVAR M. KAARDAL, Reg. No. 29,812
KAARDAL & ASSOCIATES, PC
3500 South First Ave. Circle-Suite 250
SIOUX FALLS, SD 57105-5802
(605) 336-9446 FAX (605) 336-1931
e-mail: patent@kaardal.com

June 14, 2000
Date

JC853 U.S. PTO
06/14/00

06/14/00 09:59:46

Attorney's Docket No. 00-0826
Client's Docket No. LGA102CIP

In the United States Patent and Trademark Office

In re Application of:
DAVE ROBINSON

Filed: **UTILITY PATENT APPLICATION**

For: **TELEPHONE MOUTHPIECE AND EARPIECE COVER SYSTEM**



Assistant Commissioner for Patents and Trademarks
Washington, D.C. 20231

Date of Deposit: June 14, 2000

I hereby certify that the attached U.S. Patent Application, informal drawings, transmittal letter, priority document, and/or Preliminary Amendment are being deposited with the United States Postal Service under Express Mail service **#EL 493062920 US** on the date indicated above and is addressed to the Box Patent Application, Assistant Commissioner for Patents, Washington, D.C. 20231.



June 14, 2000
Date

RANDI VANDER WILT
KAARDAL & ASSOCIATES, PC
3500 South First Ave. Circle-Suite 250
SIOUX FALLS, SD 57105-5802
(605) 336-9446 FAX (605) 336-1931
e-mail patent@kaardal.com

Applicant or Patentee: **DAVE ROBINSON**

Serial or Patent Number:

Filed or Issued:

For: **TELEPHONE MOUTHPIECE AND EARPIECE
COVER SYSTEM**

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9(f) and 1.27(b)) - INDEPENDENT INVENTOR**

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled as above and described in:

☒ the specification filed herewith.

☐ application serial number _____, filed _____.

☐ patent no. _____, issued _____.

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

☒ no such person, concern, or organization

☐ persons, concerns or organizations listed below*

*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

FULL NAME: NOT APPLICABLE

ADDRESS: NOT APPLICABLE

☐ INDIVIDUAL

☐ SMALL BUSINESS CONCERN

☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF INVENTOR: **DAVE ROBINSON**

Dave Robinson
Inventor's Signature

Date: 6-12-00

Attorney's Docket No. K&A 00-0826
Client's Docket No. LGA102CIP

APPLICATION

FOR UNITED STATES LETTERS PATENT

SPECIFICATION

TO ALL WHOM IT MAY CONCERN:

BE IT KNOWN THAT I, **DAVE ROBINSON**, a citizen of
UNITED STATES OF AMERICA, have invented a new and useful
TELEPHONE MOUTHPIECE AND EARPIECE COVER SYSTEM
of which the following is a specification:

TELEPHONE MOUTHPIECE AND EARPIECE COVER SYSTEM

5 CROSS REFERENCE TO RELATED APPLICATION

This application is a continuation-in-part of Application No. 09/048,667, filed March 26, 1998.

10 BACKGROUND OF THE INVENTION

Field of the Invention

15 The present invention relates to telephone accessories and more particularly pertains to a new telephone mouthpiece and earpiece cover system for helping protect a user from contact from germs on a telephone.

Description of the Prior Art

20 The use of telephone accessories is known in the prior art. More specifically, telephone accessories heretofore devised and utilized are known to consist basically of familiar, expected and obvious structural configurations, notwithstanding the myriad of designs encompassed by the crowded prior art which have been
25 developed for the fulfillment of countless objectives and requirements.

Known prior art telephone accessories include U. S. Patent
30 No. 4,852,163; U. S. Patent No. 3,169,171; PCT Patent No. WO

95/05723; U.S. Patent No. 5,136,639; U.S. Patent No. 5,054,063;
PCT Patent No. WO 93/06697; and U.S. Patent No. 2,593,382.

While these devices fulfill their respective, particular
5 objectives and requirements, the aforementioned patents do not
disclose a new telephone mouthpiece and earpiece cover system.
The inventive device includes an earpiece cover attachment and a
mouthpiece cover attachment. The earpiece cover attachment
comprises a base having a plurality of holes extending
10 therethrough. The front surface of the base of the earpiece
attachment has an annular lip extending around the outer perimeter
of the base of the earpiece cover attachment. The back surface of
the base of the earpiece cover attachment has a perimeter wall
defining a space adapted for inserting the earpiece of a telephone
15 therein. The mouthpiece cover attachment comprises a top with a
plurality of apertures extending therethrough. The back surface of
the top of the mouthpiece cover attachment has an annular wall
which defines a space adapted for inserting a mouthpiece of a
telephone therein.

20

In these respects, the telephone mouthpiece and earpiece
cover system according to the present invention substantially
departs from the conventional concepts and designs of the prior art,
and in so doing provides an apparatus primarily developed for the
25 purpose of helping protect a user from contact from germs on a
telephone.

SUMMARY OF THE INVENTION

30 In view of the foregoing disadvantages inherent in the known
types of telephone accessories now present in the prior art, the
present invention provides a new telephone mouthpiece and

earpiece cover system construction wherein the same can be utilized for helping protect a user from contact from germs on a telephone.

The general purpose of the present invention, which will be
5 described subsequently in greater detail, is to provide a new
telephone mouthpiece and earpiece cover system apparatus and
method which has many of the advantages of the telephone
accessories mentioned heretofore and many novel features that
result in a new telephone mouthpiece and earpiece cover system
10 which is not anticipated, rendered obvious, suggested, or even
implied by any of the prior art telephone accessories, either alone
or in any combination thereof.

To attain this, the present invention generally comprises an
15 earpiece cover attachment and a mouthpiece cover attachment.
The earpiece cover attachment comprises a base having a plurality
of holes extending therethrough. The front surface of the base of
the earpiece attachment has an annular lip extending around the
outer perimeter of the base of the earpiece cover attachment. The
20 back surface of the base of the earpiece cover attachment has a
perimeter wall defining a space adapted for inserting the earpiece
of a telephone therein. The mouthpiece cover attachment comprises
a top with a plurality of apertures extending therethrough. The
back surface of the top of the mouthpiece cover attachment has an
25 annular wall, which defines a space adapted for inserting a
mouthpiece of a telephone therein.

There has thus been outlined, rather broadly, the more
important features of the invention in order that the detailed
30 description thereof that follows may be better understood, and in
order that the present contribution to the art may be better

appreciated. There are additional features of the invention that will be described hereinafter and which will form the subject matter of the claims appended hereto.

5 In this respect, before explaining at least one embodiment of the invention in detail, it is to be understood that the invention is not limited in its application to the details of construction and to the arrangements of the components set forth in the following description or illustrated in the drawings. The invention is capable
10 of other embodiments and of being practiced and carried out in various ways. Also, it is to be understood that the phraseology and terminology employed herein are for the purpose of description and should not be regarded as limiting.

15 As such, those skilled in the art will appreciate that the conception, upon which this disclosure is based, may readily be utilized as a basis for the designing of other structures, methods and systems for carrying out the several purposes of the present invention. It is important, therefore, that the claims be regarded as
20 including such equivalent constructions insofar as they do not depart from the spirit and scope of the present invention.

 Further, the purpose of the foregoing abstract is to enable the U.S. Patent and Trademark Office and the public generally, and
25 especially the scientists, engineers and practitioners in the art who are not familiar with patent or legal terms or phraseology, to determine quickly from a cursory inspection the nature and essence of the technical disclosure of the application. The abstract is neither intended to define the invention of the application, which is
30 measured by the claims, nor is it intended to be limiting as to the scope of the invention in any way.

It is therefore an object of the present invention to provide a new telephone mouthpiece and earpiece cover system apparatus and method which has many of the advantages of the telephone

5 accessories mentioned heretofore and many novel features that result in a new telephone mouthpiece and earpiece cover system which is not anticipated, rendered obvious, suggested, or even implied by any of the prior art telephone accessories, either alone or in any combination thereof.

10

It is another object of the present invention to provide a new telephone mouthpiece and earpiece cover system which may be easily and efficiently manufactured and marketed.

15

It is a further object of the present invention to provide a new telephone mouthpiece and earpiece cover system which is of a durable and reliable construction.

20

An even further object of the present invention is to provide a new telephone mouthpiece and earpiece cover system which is susceptible of a low cost of manufacture with regard to both materials and labor, and which accordingly is then susceptible of low prices of sale to the consuming public, thereby making such telephone mouthpiece and earpiece cover system economically

25 available to the buying public.

25

Still yet another object of the present invention is to provide a new telephone mouthpiece and earpiece cover system which provides in the apparatuses and methods of the prior art some of the

30 advantages thereof, while simultaneously overcoming some of the disadvantages normally associated therewith.

Still another object of the present invention is to provide a new telephone mouthpiece and earpiece cover system for helping protect a user from contact from germs on a telephone.

5 Yet another object of the present invention is to provide a new telephone mouthpiece and earpiece cover system which includes an earpiece cover attachment and a mouthpiece cover attachment. The earpiece cover attachment comprises a base having a plurality of holes extending therethrough. The front
10 surface of the base of the earpiece attachment has an annular lip extending around the outer perimeter of the base of the earpiece cover attachment. The back surface of the base of the earpiece cover attachment has a perimeter wall defining a space adapted for inserting the earpiece of a telephone therein. The mouthpiece cover
15 attachment comprises a top with a plurality of apertures extending therethrough. The back surface of the top of the mouthpiece cover attachment has an annular wall, which defines a space adapted for inserting a mouthpiece of a telephone therein.

20 Still yet another object of the present invention is to provide a new telephone mouthpiece and earpiece cover system that is portable so that it may be used by a user on several phones.

These together with other objects of the invention, along with
25 the various features of novelty which characterize the invention, are pointed out with particularity in the claims annexed to and forming a part of this disclosure. For a better understanding of the invention, its operating advantages and the specific objects attained by its uses, reference should be made to the accompanying drawings
30 and descriptive matter in which there are illustrated preferred embodiments of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

5 The invention will be better understood and objects other than those set forth above will become apparent when consideration is given to the following detailed description thereof. Such description makes reference to the annexed drawings wherein:

10 Figure 1 is a schematic perspective view of a new telephone mouthpiece and earpiece cover system in use mounted on a telephone according to the present invention.

15 Figure 2 is a schematic front side view of the circular embodiment of the mouthpiece cover attachment of the present invention.

20 Figure 3 is a schematic front side view of the optional oblong embodiment of the earpiece cover attachment of the present invention.

Figure 4 is a schematic sectional view of the present invention illustrating the insertability of the earpiece cover attachment into the mouthpiece cover attachment.

25 Figure 5 is schematic perspective view of an optional embodiment of the present invention.

30 Figure 6 is a schematic top view of the earpiece cover attachment and the mouthpiece cover attachment on the optional embodiment.

Figure 7 is a schematic sectional view taken along line 7-7 of Figure 6.

Figure 8 is a schematic sectional view taken along line 8-8 of Figure 6.

DESCRIPTION OF THE PREFERRED EMBODIMENT

With reference now to the drawings, and in particular to Figures 1 through 8 thereof, a new telephone mouthpiece and earpiece cover system embodying the principles and concepts of the present invention and generally designated by the reference numeral 10 will be described.

As best illustrated in Figures 1 through 4, the telephone mouthpiece and earpiece cover system 10 generally comprises an earpiece cover attachment 12 and a mouthpiece cover attachment 20. The earpiece cover attachment 12 comprises a base 13 having a plurality of holes 16 extending therethrough. The front surface 14 of the base 13 of the earpiece attachment has an annular lip 17 extending around the outer perimeter of the base 13 of the earpiece cover attachment 12. The back surface 15 of the base 13 of the earpiece cover attachment 12 has a perimeter wall 18 defining a space adapted for inserting the earpiece of a telephone therein. The mouthpiece cover attachment 20 comprises a top 21 with a plurality of apertures 24 extending therethrough. The back surface 23 of the top 21 of the mouthpiece cover attachment 20 has an annular wall 25 which defines a space adapted for inserting a mouthpiece of a telephone therein.

Specifically, the cover attachments 12, 20 are designed for attaching to the mouthpiece and earpiece of a telephone as shown in

Figure 1. The earpiece cover attachment 12 includes a base 13 which is generally flat and has front and back surfaces 14,15. The base 13 of the earpiece cover attachment 12 has a plurality of holes 16 extending through it between the front and back surfaces 14,15.

5 The holes 16 are designed for permitting sound to pass through the base 13 of the earpiece cover attachment 12 when it is attached to the earpiece of a telephone. The front surface 14 of the base 13 has an annular lip 17 extending around the outer perimeter of the base 13. The lip 17 is designed for abutting an ear of a user against it
10 during use. The back surface 15 of the base 13 has a perimeter wall 18 extending around the outer perimeter of the base 13. The perimeter wall 18 defines a space adapted for inserting the earpiece of a telephone therein such that the earpiece cover attachment 12 is attached to the earpiece of the telephone.

15 The mouthpiece cover attachment 20 includes a top 21 which is preferably generally flat. The top has front and back surfaces 22,23. The top 21 has a plurality of apertures 24 extending between the front and back surfaces 22,23. The apertures 24 are
20 designed for permitting the passage of sounds through the top 21 of the mouthpiece cover attachment 20. The back surface 23 of the top 21 has an annular wall 25 extending around the outer perimeter of the top 21. The annular wall 25 defines a space adapted for inserting a mouthpiece of a telephone therein such that the
25 mouthpiece cover attachment 20 is attached to the mouthpiece of the telephone. As illustrated in Figure 4, the perimeter wall 18 of the earpiece cover attachment 12 is insertable into the space defined by the annular wall 25 of the mouthpiece cover attachment 20 such that the earpiece cover attachment 12 is attachable to the
30 mouthpiece cover attachment 20 for convenient storage and easy carrying when not in use.

As illustrated in Figure 2, ideally, the top 21 of the mouthpiece cover attachment 20 is generally circular such that the annular wall 25 of the mouthpiece cover attachment 20 is generally circular. In this ideal embodiment, the base 13 of the earpiece cover attachment 12 is also generally circular such that the lip 17 and perimeter wall 18 of the earpiece cover attachment 12 are generally circular. Preferably, the diameter of the perimeter wall 18 of the earpiece cover attachment 12 is less than the diameter of the annular wall 25 of the mouthpiece cover attachment 20.

As illustrated in Figure 3 as an optional ideal embodiment, the base 13 of the earpiece cover attachment 12 is generally oblong such that the lip 17 and perimeter wall 18 of the earpiece cover attachment 12 are generally oblong. In this optional ideal embodiment, the top 21 of the mouthpiece cover attachment 20 is also generally oblong such that the annular wall 25 of the mouthpiece cover attachment 20 is generally oblong.

Ideally, the earpiece cover attachment 12 and the mouthpiece cover attachment 20 comprise an elastomeric material such as rubber or soft plastic so that they may be snugly mounted over the mouthpiece and earpiece of a telephone.

Significantly, the diameter of the perimeter wall of the earpiece cover attachment is preferably less than the diameter of the annular wall of the mouthpiece cover attachment such that the perimeter wall of the earpiece cover attachment is nestable into the annular wall of the mouthpiece cover attachment for facilitating transport of the earpiece cover attachment and the mouthpiece cover attachment as a combined unit (see, e.g., FIG. 4). This preferred size relationship between the mouthpiece and the earpiece permits

the nested attachments to form a relatively thin and compact structure that is not substantially thicker than the each of the attachments individually. This compactness of storage size is especially beneficial since the attachments are typically carried in the pocket or purse of the user between uses of public telephones, and thus the thinner the nested attachments are, the more acceptable the attachments are for carrying around in a pocket or purse.

A second and highly preferred embodiment is shown in Figures 5-8. In this embodiment, the system comprises an earpiece cover attachment 40, a mouth piece cover attachment 50, and a case 60.

The ear piece cover attachment 40 includes a central wall 41. The central wall 41 comprises front 42 and back 43 surfaces and an outer perimeter 44. A perimeter wall 45 extends around the outer perimeter 44 of the central wall 41. The back surface 43 of the central wall 41 and an inner surface 46 of the perimeter wall 45 define a space 47 adapted for receiving a portion of the earpiece of a telephone therein.

The central wall 41 has a plurality of holes 48 extending through the front 42 and back 43 surfaces of the central wall 41. A ridge 49 is formed in the central wall 41. The ridge 49 protrudes from a plane 70 of the central wall 41 for permitting abutment of the ridge 49 against an ear of the user. The ridge 49 is annular and continuous for forming a substantially closed chamber 71 between the front surface 42 of the central wall 41 and the ear of the user to block external noise from entering the chamber 71. The ridge 49 extends generally along the outer perimeter 44 of the central wall 41. The plurality of holes 48 is located in a central region of the central wall 41 and is surrounded by the ridge 49.

A diameter of the ridge 49 is approximately two-thirds a diameter of the central wall 41. A distance of protrusion of the ridge 49 from a plane of the central wall 41 is substantially equal to a distance of extension of the perimeter wall 45 from the plane of the central wall 41. The central wall 41 is generally circular. The perimeter wall 45 is generally cylindrical.

A mouthpiece cover attachment 50 comprises a primary wall 51. The primary wall 51 includes front 52 and back 53 surfaces and an outer perimeter 54. A peripheral wall 55 extends around the outer perimeter 54 of the primary wall 51. The back surface 53 of the primary wall 51 and an inner surface 56 of the peripheral wall 55 defines a space 57 adapted for receiving a portion of the mouthpiece of a telephone therein.

The primary wall 51 has a plurality of holes 58. The plurality of holes 58 extends through the front 52 and back 53 surfaces of the primary wall 51. A lip 59 is formed in the primary wall 51 for directing voice sounds of the user toward the plurality of holes 58.

The lip 59 protrudes from a plane of the primary wall 51. The lip 59 is generally semicircular. The lip 59 extends along a semicircular portion of the outer perimeter 54 of the primary wall 51. The plurality of holes 58 is generally located in a semicircular region of the primary wall 51 defined by the lip 59. A distance of protrusion of the lip 59 from a plane of the primary wall 51 is less than a distance of extension of the perimeter wall 45 from the plane of the primary wall 51.

A markable surface 72 is formed on the front surface 52 of the primary wall 51. The markable surface 72 is provided for being marked on by a writing instrument. The markable surface 72 extends across the front surface 52. This markable surface is highly useful for recording information such as, for example, calling card information.

A case 60 is provided for protectively holding the attachments 40, 50 during periods of non-use of the earpiece 40 and mouthpiece 50 attachments. The case 60 defines an interior 61. The interior 61 is designed for receiving the attachments 40, 50 for storage.

The case 60 comprises a compartment portion 62 and a lid portion 63. The lid portion 63 is pivotally mounted on the compartment portion 62. The lid portion 63 is designed for pivoting between a closed condition in which the interior 61 of the case 60 is inaccessible and an open condition in which the interior 61 of the case 60 is accessible.

Each of the portions 62, 63 of the case has a central section 64, 65 and a pair of lobe sections 74, 75 and 76, 77. The lobe sections 74, 75 and 76, 77 extend from each of the central sections 64, 65. Each of the pair of lobes 74, 75 and 76, 77 extend in substantially the same direction from the central sections 64, 65. Each of the lobes 74, 75 and 76, 77 of the portions 62, 63 are adapted to receive one of the attachments 40, 50.

A locking mechanism 66 may be provided for selectively locking the portions 62, 63 in the closed condition. The locking mechanism 66 comprises a finger tab 67. The finger tab 67 is mounted on the compartment portion 62. The finger tab 67 is

positioned to engage a portion of the lid portion 63 when the portions 62, 63 are in the closed condition. The finger tab 67 releases engagement of the compartment portion 62 with the lid portion 63 when a finger is pressed on the finger tab 67.

5

As to a further discussion of the manner of usage and operation of the present invention, the same should be apparent from the above description. Accordingly, no further discussion relating to the manner of usage and operation will be provided.

10

With respect to the above description then, it is to be realized that the optimum dimensional relationships for the parts of the invention, to include variations in size, materials, shape, form, function and manner of operation, assembly and use, are deemed readily apparent and obvious to one skilled in the art, and all equivalent relationships to those illustrated in the drawings and described in the specification are intended to be encompassed by the present invention.

20

Therefore, the foregoing is considered as illustrative only of the principles of the invention. Further, since numerous modifications and changes will readily occur to those skilled in the art, it is not desired to limit the invention to the exact construction and operation shown and described, and accordingly, all suitable modifications and equivalents may be resorted to, falling within the scope of the invention.

25

CLAIMS

I claim:

1. A set of cover attachments for attaching to the mouthpiece and earpiece of a telephone, said set comprising:
 - a earpiece cover attachment comprising:
 - a base having front and back surfaces and an outer perimeter;
 - said base of said earpiece cover attachment having a plurality of holes extending through said front and back surfaces of said base of said earpiece cover attachment;
 - said front surface of said base of said earpiece attachment having an annular lip being extended around said outer perimeter of said base of said earpiece cover attachment;
 - said back surface of said base of said earpiece cover attachment having a perimeter wall extending around said outer perimeter of said base of said earpiece cover attachment, said perimeter wall of said back surface of said base of said earpiece cover attachment defining a space adapted for inserting the earpiece of a telephone therein;
 - a mouthpiece cover attachment comprising:
 - a top having front and back surfaces and an outer perimeter;
 - said top of said mouthpiece cover attachment having a plurality of apertures extending between said front and back surfaces of said top of said mouthpiece cover attachment;
 - said back surface of said top of said mouthpiece cover attachment having an annular wall extending around said outer perimeter of said top of said mouthpiece cover attachment, said annular wall of said back surface of said top of said mouthpiece cover

attachment is generally oblong such that said annular wall of said mouthpiece cover attachment is generally oblong.

6. A set of cover attachments for attaching to the mouthpiece and earpiece of a telephone, said set comprising:
a earpiece cover attachment comprising:

a base being generally flat and having front and back surfaces
and an outer perimeter;

said base of said earpiece cover attachment having a plurality
of holes extending through said front and back surfaces
of said base of said earpiece cover attachment;

said front surface of said base of said earpiece attachment
having an annular lip being extended around said outer
perimeter of said base of said earpiece cover
attachment;

said back surface of said base of said earpiece cover
attachment having a perimeter wall extending around
said outer perimeter of said base of said earpiece cover
attachment, said perimeter wall of said back surface of
said base of said earpiece cover attachment defining a
space adapted for inserting the earpiece of a telephone
therein;

wherein said base of said earpiece cover attachment is
generally circular such that said lip and perimeter wall
of said earpiece cover attachment are generally circular;

a mouthpiece cover attachment comprising:

a top being generally flat and having front and back surfaces
and an outer perimeter;

said top of said mouthpiece cover attachment having a
plurality of apertures extending between said front and

back surfaces of said top of said mouthpiece cover attachment;

said back surface of said top of said mouthpiece cover attachment having an annular wall extending around said outer perimeter of said top of said mouthpiece cover attachment, said annular wall of said back surface of said top of said mouthpiece cover attachment defining a space adapted for inserting a mouthpiece of a telephone therein;

said perimeter wall of said earpiece cover attachment being insertable into said space defined by said annular wall of said mouthpiece cover attachment such that said earpiece cover attachment is attachable to said mouthpiece cover attachment;

wherein said top of said mouthpiece cover attachment is generally circular such that said annular wall of said mouthpiece cover attachment is generally circular;

wherein the diameter of said perimeter wall of said earpiece cover attachment is less than the diameter of said annular wall of said mouthpiece cover attachment such that said perimeter wall of said earpiece cover attachment is nestable into said annular wall of said mouthpiece cover attachment for facilitating transport of said earpiece cover attachment and said mouthpiece cover attachment as a combined unit.

7. A system for covering a mouthpiece and an earpiece of a telephone for protecting a user from contact with the mouthpiece and earpiece, said system comprising:
an earpiece cover attachment comprising:

a central wall with front and back surfaces and an outer perimeter, and a perimeter wall extending around said outer perimeter of said central wall, the back surface of said central wall and an inner surface of said perimeter wall defining a space adapted for receiving a portion of the earpiece of a telephone therein;

said central wall having a plurality of holes extending through said front and back surfaces of said central wall;

a mouthpiece cover attachment comprising:

a primary wall with front and back surfaces and an outer perimeter, and a peripheral wall extending around said outer perimeter of said primary wall, the back surface of said primary wall and an inner surface of said peripheral wall defining a space adapted for receiving a portion of the mouthpiece of a telephone therein;

said primary wall having a plurality of holes extending through said front and back surfaces of said primary wall.

8. The system of claim 7 additionally comprising a ridge being formed in said central wall, said ridge protruding from a plane of said central wall for permitting abutment of the ridge against an ear of the user.

9. The system of claim 8 wherein said ridge is annular and continuous for forming a substantially closed chamber between the front surface of said central wall and the ear of the user to block external noise from entering said chamber.

10. The system of claim 8 wherein a distance of protrusion of said ridge from a plane of said central wall is substantially equal to

a distance of extension of said perimeter wall from the plane of said central wall.

11. The system of claim 7 wherein a lip is formed in said primary wall for directing voice sounds of the user toward said plurality of holes, said lip protruding from a plane of said primary wall.

12. The system of claim 11 wherein said lip is generally semicircular and extending along a semicircular portion of the outer perimeter of said primary wall.

13. The system of claim 12 wherein said plurality of holes is generally located in a semicircular region of said primary wall defined by said lip.

14. The system of claim 7 additionally comprising a case for protectively holding the attachments during periods of non-use of said earpiece and mouthpiece attachments, said case defining an interior for receiving said attachments for storage.

15. The system of claim 14 wherein said case comprises a compartment portion and a lid portion, said lid portion being pivotally mounted on said compartment portion such that the lid portion is pivotal between a closed condition in which the interior of said case is inaccessible and an open condition in which the interior of said case is accessible.

16. The system of claim 15 wherein each of said portions of said case has a central section and a pair of lobe sections extending from said central section, said pair of lobes extending in substantially the same direction from said central section, each of

said lobes of said portions being adapted to receive one of said attachments.



17. The system of claim 15 additionally comprising a locking mechanism for selectively locking said portions in the closed condition.



18. The system of claim 17 wherein said locking mechanism comprises a finger tab mounted on said compartment portion, the finger tab being positioned to engage a portion of said lid portion when said portions are in said closed condition, said finger tab releasing engagement with said lid portion when a finger is pressed on said finger tab.

19. The system of claim 17 wherein a marking surface is formed on the front surface of said primary wall of said mouthpiece cover attachment, said marking surface being adapted for being marked on by a writing instrument for permitting writing of telephone calling related information thereon.

ABSTRACT OF THE DISCLOSURE

5 A telephone mouthpiece and earpiece cover system for helping
protect a user from contact from germs on a telephone. The system
includes an earpiece cover attachment and a mouthpiece cover
attachment. The earpiece cover attachment comprises a base
having a plurality of holes extending therethrough. The front
10 surface of the base of the earpiece attachment has an annular lip
extending around the outer perimeter of the base of the earpiece
cover attachment. The back surface of the base of the earpiece
cover attachment has a perimeter wall defining a space adapted for
inserting the earpiece of a telephone therein. The mouthpiece cover
15 attachment comprises a top with a plurality of apertures extending
therethrough. The back surface of the top of the mouthpiece cover
attachment has an annular wall, which defines a space adapted for
inserting a mouthpiece of a telephone therein.








FIG. 26




FIG. 37





FIG. 28



DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

TELEPHONE MOUTHPIECE AND EARPIECE COVER SYSTEM

the specification of which is attached hereto.

I further state that I do not know and do not believe that the above-named invention has ever been known or used in the United States before my invention thereof, or patented or described in any printed publication in any country before my invention thereof, or in public use or on sale in the United States more than one year prior to this application; that the invention has not been patented or made the subject of any inventor's certificate in any country foreign to the United States on any application filed by me or my legal representatives or assigns more than six (6) months prior to this application; and that no application for patent or inventor's certificate on the invention has been filed by me or my representatives or assigns in any country foreign to the United States, except as identified below.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment if applicable.

I acknowledge the duty to disclose information to the Patent and Trademark Office all information known to me to be material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

NONE

(Number)

(Country)

(Day/Month/
Year Filed)

(Yes)

(No)

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States Provisional application(s) listed below:

NONE

(Application No.)

(Filing Date)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or Section 365 (c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, Section 112. I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

09/048,667

(Application No.)

03/26/98

(Filing Date)

pending

(Status - patented,
pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys to prosecute this application and transact all business in the U.S. Patent and Trademark Office connected therewith: Ivar M. Kaardal, Registration Number 29,812.

Send Correspondence to: Kaardal & Associates, PC
Attn: Ivar M. Kaardal
3500 South First Avenue Circle, Suite 250
Sioux Falls, South Dakota 57105-5802
Telephone (605) 336-9446, FAX (605) 336-1931
e-mail: patent@kaardal.com

Full Name of Inventor: **DAVE ROBINSON**

Dave Robinson Date: 6-12-00
Inventor's Signature

Residence: **LAS VEGAS, NEVADA**

Citizenship: **UNITED STATES OF AMERICA**

Post Office Address: **3325 N. NEILS AVE # 229**
~~3205 EAST FLAMINGO ROAD #108~~
LAS VEGAS, NV ~~89115~~
89115